

NUTONE

Exhaust Fans

For bathroom, laundry and family rooms

U. L. Listed and C. S. A. Approved



Twin Blower Model 8700


For installation in kitchen cabinets on inside wall or outside wall. Also for duo-level installation in ceiling or soffit.

*For installation in cabinets; includes cabinet mounting kit and filter. Use Model 860 Three Speed Switch.

Model No.	Grille Finish	H.V.I. CERTIFIED in square feet		
		Kitchen	Bath	Other
8700	Anod. Alum.	100	185	250
8720*	Anod. Alum.	100	185	250
8710	Copper Anod.	100	185	250
8730*	Copper Anod.	100	185	250

#8700-8710 \$39.50

#8720-8730 \$43.50



U.S. Pat. Nos. 2,300,504, 447,586, 519,112, 2,842,307; 2,856,836




Bathroom Fan Model 8810

Designed especially for Bathroom use where closed doors require a fan with high static pull. Discharges to outside through 4" diameter duct. Has adjustable bracket... no blocking from joists. Snap-in mounting. Moistureproof motor resists bathroom moisture. Use Model 862 60-Minute Time Switch.

Model No.	Grille Finish	H.V.I. CERTIFIED in square feet		
		Kitchen	Bath	Other
8810	Anod. Alum.	Not used	75	100

List Price \$25.95



U.S. Pat. Nos. 502,547, 2,800,848

Motors Guaranteed for 5 Years




Bathroom Fan Model 8830 for Ceiling or Inside Wall

Designed especially for Bathroom use where closed doors require a fan with high static pulls. For all types of bathrooms. Less than 4" thin-fits in ceiling or between 2" x 4" studs. Discharges to outside through 3" dia. duct. Meets FHA requirements. Use Model 862 60-minute Time Switch.

Model No.	Grille Finish	H.V.I. CERTIFIED in square feet		
		Kitchen	Bath	Other
8830	Anod. Alum.	Not used	65	90

List Price \$23.95




Vent-A-Lite Model 8660 Exhaust Fan plus Light

Both for the cost of one combination unit. Blower is quiet — moves just the right amount of air — no drafts. It's Round — provides better lighting — installs between 2 x 6 joists. Hinged lens for 100 watt bulb replacement. Overall depth below ceiling 2 1/4". Includes 2 hanger bars. Discharges through 4" dia. duct.

Model No.	Grille Finish	H.V.I. CERTIFIED in square feet		
		Kitchen	Bath	Other
8660	Anod. Alum.	Not used	75	100

List Price \$38.95



Motor is spring mounted for quiet operation



All ventilating fans which display the H.V.I. Label have been tested by the Texas Engineering Experiment Station at Texas A&M College, in accordance with the Standard Test Code, approved by H.V.I.

Home Ventilating Institute — Certified Ratings

The room rating — by square foot method has been applied in accordance with F.H.A. and H.V.I. specifications. Performance of the particular fan at appropriate static pressure points is determined by the aforementioned Independent test facility.

ROOM	RECOMMENDED AIR CHANGES PER HOUR	Static Pressure Points —
Kitchen	15	Duct Connected Fans .10 inches W.G.
Bathroom	8	Direct Discharge
Family, Laundry, or Recreation Room	6	Wall Fans .03 inches W.G.

NUTONE VENTILATION ACCESSORIES

Model	Description	Price	Model	Description	Price	Model	Description	Price
822	Reducer with damper. Use with 8220 to adapt to 8" round duct	2.60	843	Roof cap with weather damper. For duct size up to 10" square	8.50	882	Wall Cap with weather louver. For use with 4" round duct.	3.10
824	Transition Elbow with damper. Use with 8220 for 90° turn to 3 1/4" X 10" duct size	3.70	854	Filter for 8170-8190-8490-8510 fans	2.30	886	Transition — 7" round to 3 1/4" X 10"	3.50
834	Filter for 8060-8200-8210-8220-8310	2.10	860	3-Speed Switch for 8170-8190-8310-8490-8510 and 8700-8710	8.25	887	7" round duct 18" long	1.80
836	Eave cap. Has weather louver. Use to terminate 3 1/4" X 10" duct.	9.80	881	3-Speed Switch. For 8060-8090.	8.25	888	Flat Elbow for 90° turn. For use with 3 1/4" X 10" duct 4.00	
837	Flush Wall Cap. Has weather louver. Use to terminate 3 1/4" X 10" duct.	8.60	882	60 Minute Time Switch for use with 8660, 8810, 8830, 9200, 9260 and 9290 Heaters.	8.30	889	3 1/4" X 10" duct. Each section 24" long. 5 sections for 12.80	
838	Wall Cap. Has weather louver. Use to terminate 3 1/4" X 10" duct.	4.95	874	3 1/4" X 10" duct. 18" long.	2.80	890	7" round duct. Each section 24" long. 5 sections for 9.90	
839	Elbow 90° turn. For use with 3 1/4" X 10" duct.	3.00	875	Installation Kit for installing 8700-8710 in cabinets.	3.10	894	Transition Elbow with damper. Use with 8200-8210 for 90° turn to 3 1/4" X 10" duct size.	2.78
840	Adjustable Elbow for use with 4" round duct.	3.00	876	Damper section 7" long. For use with 3 1/4" X 10" duct.	3.85	895	Damper Section for 8200	2.00
841	Roof Cap for 4" diameter duct. For use with 8660, 8810, 8830, 9090, 9110, 9300, 9310 and 9360	4.75	877	Transition 6" round to 3 1/4" X 10"	3.80	897	Transition Elbow 90°. 4 X 12" to 3 1/4" X 10"	8.80
			878	Filter for 8700-8710	4.15	898	Right Reverse Elbow. For use with 3 1/4" X 10" duct.	5.50
						899	Left Reverse Elbow. For use with 3 1/4" X 10" duct.	5.50
						1000	Duct, 8" round X 18" long. For use with 8220.	1.85



NU TONE

Door Chimes

... a "cheerful earful"
all through the house

Brilliantly designed in Contemporary and Traditional models to suit any interior. 25 handsome styles ranging from low cost two-note chimes . . . to exquisite eight-note Westminster-chord masterpieces.

*NuTone "Lifetime" Finishes Will Not Rust or Tarnish



L-12 "Champion"—Plastic cover, Oyster White and Silver or Ivory and Gold. 2 notes front door, 1 note rear door. 7 $\frac{1}{4}$ " x 4 $\frac{3}{4}$ ". Weight 1 lb. 7 oz.

\$4.95 List



L-16 "Futura"—Plastic cover Oyster White and Silver or Ivory and Gold. 2 notes front door, 1 note rear door. 7" x 7 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ". Weight 2 lbs.

\$7.95 List



L-17 "Decorator"—Desert Sand finish cover and brass grille. Two notes for front door, one note for rear. 4 $\frac{1}{2}$ " x 7 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ". Wt. 1 $\frac{1}{2}$ lbs.

\$6.95 List



L-20 "Mt. Vernon"—Gold* Antique Hammered finish Colonial design. 2 notes for front door, one note for rear door. 7" x 11 $\frac{1}{4}$ ". Wt. 2 $\frac{1}{2}$ lbs.

\$10.95 List



L-21 "Rhythmic"—Walnut and Gold Anodized* or Desert Sand and Gold Anodized* Repeating Chime front door, 2 notes for rear door, one note for third door. 6 $\frac{3}{4}$ " x 7 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ". Wt. 2 lbs.

\$9.95 List

Prices subject to change without notice.

Prices Higher Outside Continental United States.



L-22 "Jewel"—Lime Oak or Walnut finish cover with Gold* tubes. Two notes front door, 1 note for rear door. 7" x 9" x 3". Wt. 2 lbs. 3 oz.

\$9.95 List



L-23 "Mayfair"—Lime Oak or Walnut finish cover with Gold* tubes. Two notes front door, 1 note rear. 7 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ " x 3". Wt. 2 lbs. 2 oz.

\$8.95 List



L-31 "Pacesetter"—Desert Sand finish cover. Architectural stone design grille pattern with gold flecked grille cloth. 2 notes chord tone front door, 1 note rear door. 7 $\frac{1}{2}$ " x 9 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ". Wt. 3 lbs. 10 oz.

\$13.95 List



L-32 "Provincial"—White or Walnut and Gold* cover with antique high-lighted grille. 2 notes chord tone front door, 1 note rear door. 8 $\frac{1}{4}$ " x 10" x 3 $\frac{1}{4}$ ". Wt. 3 $\frac{1}{4}$ lbs.

\$15.95 List

Walnut finish cover \$14.95 List



L-38 "Cherale"—Walnut or Desert Sand and Gold Anodized*. 8 or 4 notes front door, 1 note rear door, different note for third door. 7 $\frac{1}{4}$ " x 14 $\frac{1}{4}$ " x 3 $\frac{1}{4}$ ". Wt. 6 $\frac{1}{2}$ lbs. Trans. included.

\$34.95 List

Use NuTone 101-OB Transformer for all 2 Note Chimes



L-39 "Golden Eight"—Lime Oak or Walnut finish cover. 8 or 4 notes front door, one note for rear door, different note for third door. 11 $\frac{1}{4}$ " x 7 $\frac{1}{4}$ " x 3 $\frac{3}{4}$ " deep. Wt. 5 $\frac{1}{2}$ lbs. Use NuTone 301 OB Transformer.

\$25.95 List



L-60 "Sunburst"—8 or 4 chord Chime and Clock. Light Walnut or Ivory finish. Brass sunburst and bezel. 1 chord rear door, different chord third door. Transformer incl. 12 $\frac{1}{4}$ " x 8 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ ". Wt. 10 lbs. 10 oz.

\$74.95 List



L-14 "Built-In"—Ivory finish cover. May be painted to match walls. 2 notes front door, 1 note rear door. 5 $\frac{1}{4}$ " x 7 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " deep. Cutout 4 $\frac{1}{2}$ " x 6 $\frac{1}{4}$ ". Wt. 2 lbs.

\$5.95 List




L-15 "Built-In"—Silver Anodized* and White or Gold Anodized* and Ivory. 2 notes for front door, one note rear. 7 $\frac{1}{2}$ " square x 2" deep. Cutout 6 $\frac{1}{2}$ " square. Wt. 2 lbs. 12 oz.

\$9.95 List



L-37 "Built-In"—Chord Chime and Clock. Gold, Silver or Copper Anodized*. 2 notes chord tone front door, 1 note rear door. Cover 7 $\frac{1}{2}$ " square. Box 6 $\frac{1}{2}$ " sq. x 3 $\frac{1}{4}$ " deep. Wt. 4 lbs. 5 oz.

\$22.50 List



L-70 \$36.95



L-71 \$16.95



L-72 \$42.95

ELECTRONIC DOOR CHIME

All NuTone Electronic Chimes connect with NuTone Stereo-Intercom or Intercom-Radio Systems. . . . Relay chime tones into rooms with speakers. Have volume control. Can be heard above music or intercom in all rooms. Even sound clearly when Stereo or Intercom system is turned off. Electronic mechanism permanently installed in cabinet or housing. Transformer included with each chime.

L-70 Surface Mounted "Electronic"

Adjustable for 8 or 4 notes at front door, one note rear door, different note for 3rd door. Walnut or Lime Oak finish cover — Gold Anodized Grille. 7 1/2" x 11 1/4" x 3 3/8".


L-71 "Electronic Built-In" Sounds 2 notes for the front door, one note for rear door. Gold* Anodized and Ivory. May be painted to match walls. Grille 7 1/2" sq. Cut-out 6 1/2" sq. Housing 2" dp.

L-72 "Electronic Built-In Deluxe"

Adjustable for 8 or 4 notes for the front door, 1 note for rear door, different note for 3rd door. Has Walnut finish frame, gold flecked grille cloth and Gold* Anodized panel with control knobs. . . . matches NuTone Stereo-Intercom system speakers. 9" wide, 10 1/2" high. Cut-out 7 1/2" wide, 9 1/2" high. Housing 3 1/2" deep.



L-26 "Regal" \$11.95 List



L-33 "Coronet" \$16.95 List



L-42 "Supreme" \$49.95 List



L-55 "Jefferson" \$89.95 List



L-59 "Century" \$79.95 List

L-26 — Ivory and Gold finish cover with satin brass tubes. 2 notes front door, one note rear door. 7" x 39 1/2" long x 3" deep.

L-33 — Walnut or Lime Oak finish cover. Three satin brass tubes. 2 notes front door, one note rear. 8 1/2" x 41 1/2" long x 2 1/2".

L-42 — Lime Oak or Ebony finish, satin brass tubes. Selector switch for 8 or 4 notes for front door, 1 note rear, different note third door. Trans. incl. 10 3/4" x 5" x 48 1/2".

L-55 — Colonial wallclock and chime with Provincial Walnut wood finish cabinet. Selector switch for 8 or 4 notes for front door, 1 note rear, different note third door. Trans. incl. 11" wide x 6" x 56 1/2".

L-59 — Wall Clock and chime. Light Walnut wood finish cover. Selector switch for 8 or 4 note for front door, 1 note rear, different note third door. Transformer included. 9 3/8" x 5 1/2" x 51 1/2" long.

Use NuTone 101-OB 16 Volt Transformers for L-26 and L-33.

Models L-42, L-55, L-59, L-70, L-71 and L-72 have volume control selector switch.



MC-309 "Pre-Vue" Non-electric 2 Note Door Chime with Optical Lens Viewer.

Wide angle lens offers clear view of entire doorway area. Complete privacy for viewer. Gold* Anodized double window nameplate with charcoal plastic push button outside. Smartly styled Oyster White or Walnut finish cover inside. Chime cover 1 1/2" x 3 1/4" x 7 1/4". Nameplate 3/4" x 2 1/4" x 4 3/8". \$7.95 List Fits all doors 3/4" to 2" thick.



MC-304 "Greeter" 2 Note Non-Electric Door Chime

Gold* or Silver* Anodized nameplate with charcoal plastic push button outside. Smartly designed Oyster White or Walnut Finish cover inside. Fits all doors 3/4" to 3" thick. Chime cover 1 1/2" x 3 1/4" x 7 1/4". Nameplate 3/4" x 2 1/4" x 3 1/4". \$4.95 List With Extension Shaft, EK-311, fits door to 9" thick. .50 List

NuTone Chimes and Transformers are Manufactured under one or more of the following U.S. Patents: 2,293,671; 2,330,439; 2,140,839; 2,408,712; 2,468,840; 2,542,947; 2,556,324; 2,559,074; 2,825,344; 2,388,738; 2,180,189; 2,180,406; 2,180,518; 2,799,016; 2,810,123; 2,818,331. Other Patents Pending.

NUTONE LOW VOLTAGE TRANSFORMERS

"Lifetime Guarantee"

Style 515-OB . . . 10-Volt 5 Watt . . . Powerful enough for chimes in small homes. Mounts any place. Mounting feet for open wiring. Fits any 7/8" "knockout". Single screw bracket for quick mounting. Has thermal cutout. U. S. Patent No. 2,819,331 \$2.75 List

Style 101-OB . . . 16 Volts (10) (VA). Mounts any place. Can take substantial surge loads. 16 volts for 2-Note Chimes also for oil and gas heating systems of air conditioning units. Has thermal cutout. U. S. Pat. 2,819,331. \$3.35 List

Style 301-OB . . . 16 Volts (30 VA) . . . Mounts any place. For use on Multiple chime installations. Can also be used for oil and gas heating systems, or air conditioning units. Has thermal cutout. \$4.52 List

Style 201-OB . . . 24 Volts (20 VA) . . . For higher loads. Mounts any place, also for oil and gas heating systems or air conditioning units. Has thermal cutout. \$4.24 List

Style 320 . . . 8-16-24 Volt Trivolt . . . All purpose, low voltage Transformer with thermal cutout. Guaranteed against burnout! \$5.08 List

NuTone Transformers are U.L. Approved and CSA listed.

*ALL NUTONE TRANSFORMERS HAVE A "LIFE-TIME" GUARANTEE—BECAUSE THEY CONTAIN A SPECIAL BI-METAL THERMAL CUTOFF — FOR PROTECTION AGAINST OVERLOAD OR SHORT CIRCUIT"

NuTone Sculptured Pushbuttons

*NuTone Anodized Push Buttons will not rust or tarnish



PB-1 \$.50 Gold* or Silver*

PB-3 \$1.25 Gold* or Silver*

PB-6 \$1.25 (LIGHTED) Gold* or Silver*

PB-11 \$.85 Gold*



PB-5 \$3.25 (PB-5L \$3.95) (LIGHTED) Gold*

PB-10 \$1.25 (LIGHTED) Gold* or Silver*

PB-14 \$2.50 (LIGHTED) Gold

PB-15 \$1.70 (LIGHTED) Gold* or Silver*

PB-12 \$.42 Walnut and Ivory

PB-14 \$1.25 (PB-14L \$1.95) (LIGHTED) Gold*

PB-15 \$1.25 (PB-15L \$1.95) (LIGHTED) Bronze*

PB-16 \$1.56 (PB-16L \$2.35) (LIGHTED) Hammered Finish

PB-17 \$2.50 (PB-17L \$3.25) (LIGHTED) Gold* or Silver*

PB-20 \$1.25 (PB-20L \$1.95) (LIGHTED) Gold*

PB-21 \$1.75 Gold*

TRANSFORMERS \$2.75 to \$5.08

†For use with 16 Volt Chimes



NU-TONE

Built-In Stereo

Intercom - AM-FM Radio
High Fidelity Music System

U.L. Listed

Now you can enjoy STEREO MUSIC throughout your entire home . . . not just in a single room. You can virtually custom-build your own NuTone Stereo System to suit your own taste . . . every inch of it built-in to standard (2 x 4) walls to save space and money!



Now . . . A Stereo Music System All Through the House



AM-FM RADIO TUNER
FOR STEREO RADIO

High Fidelity AM and FM Radio in a single chassis. Permits use of one Speaker System for an AM program, the other for an FM program, simultaneously. Also for Stereo Radio broadcasts. Solid Walnut frame. Gold anodized control and dial panels. Input plugs for auxiliary equipment. 15 1/4" wide, 11" high, 4" deep.

Model 2402 \$199.90



DUAL-CHANNEL AMPLIFIER
COMBINED WITH INTERCOM

Two amplifiers in a single chassis, with common controls. Loudness, Balance, Treble and Bass Controls insure perfect Stereo and monaural reception. Also room-to-room Intercom. Hand-rubbed Walnut frame. Gold Anodized Control Panel. 15 1/4" wide, 11" high, 4" deep.

Model 2401 \$228.00

NuTone Built-In Stereo System speakers and components cannot be used with the NuTone Intercom-Radio System.



"FOLD-AWAY" RECORD STORAGE CABINET

Matches the "Fold-Away" Record Changer. Protects up to 40 records against loss and breakage. Wired to hold tape player-recorder available soon. Walnut frame. Vinyl covered steel door. 15 1/4" square, 4" deep.

Model 2404 \$55.00



"FOLD-AWAY" STEREO RECORD CHANGER

Plays all speeds of Stereo and conventional records. Intermixes 10" and 12" records of the same speed. Diamond stylus for Stereo and LPs; sapphire stylus for 78 RPMs. Last record can automatically shut off entire System. Input plug for auxiliary equipment. 15 1/4" square, 4" deep.

Model 2403 \$128.00

A NEW 4-WAY STEREO SYSTEM

1. Dual-Channel Stereo Amplifier plus a room-to-room intercom.
2. An AM-FM Radio Tuner to receive Stereo Radio programs.
3. Fold-in Wall Record Changer. Automatic shut-off and 4-speeds.
4. Wall Cabinet for Record Storage or Tape Deck



Built-In Coaxial Wall Speakers

The NuTone speakers are built into your walls for the finest tone. Better tone than cabinets which cannot match built-in wall enclosures for rigidity and size.

Walnut frames. All-Saran, non-tarnishable grille cloth. 12 1/2" square. Speaker with Controls: #2411 - \$39.75

Speaker without Controls: #2412 \$22.00

not shown

Door Speaker #2413 \$13.00

Inside Remote Control #2418 \$28.75

Outside Remote Control #2415 \$24.75

Patio Speaker without Controls #2414 \$17.25

50' Wire & Conductor #2421 \$5.95

80' Wire & Conductor #2422 \$1.80

250' Wire & Conductor #2424 \$17.50

FOR THE FIRST TIME — A Stereo AM-FM Radio-High-Fidelity Music System combined with Intercom, — built-in — complete and ready to enjoy — not just in one room, but throughout the home, and in the Patio. Today's most wanted music — on Stereo records, in Stereo broadcasts, and on Stereo Tape. Now — all of these sensational Stereo sources — built-in.

SAVES FLOOR SPACE—AVOIDS CABINET-CLUTTER. No costly console cabinets. One set of built-in matched components uses built-in remote wall-speakers, inside and outside the home. There is a system to suit every plan and budget.

PRECISION ENGINEERED — and decorator-styled — values found only in the finest electronic equipment.

• See Dear Chime Section for Electronic Chimes to be used with NuTone Stereo Systems.



NU-TONE

Intercom-Radio

a home broadcasting network
for your protection and pleasure

U.S. Pat. No. D-184,549



AM-FM DELUXE

Includes Master Control Station, 3 Inside Remotes, 1 Outside Remote, All wire and antennae wire. Additional Remotes and Speakers are available (extra).

AM STANDARD

Includes Master Control Station, 3 Inside Remotes, 1 Outside Remote, All wire and antennae wire. Additional Remotes and Speakers are available (extra).



AM-FM DELUXE

Model 2016

Copper Anodized Aluminum
with Anodized Grille

AM-FM DELUXE MODEL 2015
Satin Anodized Aluminum
with Anodized Grille

Fit 4" thick wall.



AM STANDARD

Model 2012

Baked Aluminum Enamel
with Anodized Grille

AM STANDARD MODEL 2011
Baked Copper Enamel
with Anodized Grille

Fit 4" thick wall.

SPECIFICATIONS

TUBES: Seven tubes plus Silicon Rectifier. 1-12BE6; 2-12BA6; 1-19T8; 1-ECC81/12AT7; 1-50C5 and 1-12AV6. F.M. RADIATION SPECIFICATIONS: Shielded to meet FCC radiation specifications. RADIO: AM broadcast range is 540 to 1650 Kilocycles. FM range is 88 to 108 Megacycles. SPEAKER: 4 x 6 oval, 3.2 OHM, Alnico V Magnet. PHONO-JACK connections. PILOT LIGHT: Two incandescent bulbs illuminate the dial and show when set is turned on. POWER CONSUMPTION: 42 watts, 117 volts. TONE CONTROL: The tone control affects radio and phono only. Since intercom tone is critical the circuit is arranged so that it is always correct. 8 STATION SELECTOR SWITCHES.

SPECIFICATIONS

Six tubes, 1-12BE6; 2-12AV6; 1-35C5; 1-35W4. 1-12BA6, AM broadcast range 540-1650 KC. SPEAKER: 4" round, 3.2 OHM; PHONO-JACK Connections. PILOT LIGHT: Clear neon marker tells when set is on and acts as tuning marker. POWER CONSUMPTION: 30 watts 117 volts. 8 STATION SELECTOR SWITCHES.

Deluxe and Standard Sets

Complete unit in two cartons; the "A" carton contains all roughing-in material and wire; the "B" carton contains the master chassis and the remote speaker assemblies. Either section can be bought separately.

NuTone Intercom-Radio speakers and components cannot be used with the NuTone Built-In Stereo System.

FINEST INTERCOM FIDELITY

FULL TIME INTERCOM

AUTOMATIC ACOUSTIC
LEVEL FOR INTERCOM

VARIABLE CONTROLS


9 PRIMARY STATIONS AVAILABLE

CHOICE OF AM and FM

ONE SETTING AT MASTER

Model	Description	List
2011	AM Standard, Copper Enamel	128.50
2012	AM Standard, Aluminum Enamel	128.50
2015	AM-FM Deluxe—Satin Anodized Aluminum	178.50
2016	AM-FM Deluxe—Copper Anodized	178.50
2005	Extra Outside Remote—Gold Anodized	12.95
2020	Hi-Fidelity Accessory Speaker (Inside)	23.00
2020	Hi-Fidelity Accessory Speaker (Outside)	23.00
2024	Extra Inside Remote—Desert Sand	12.95
2040	200 Feet 3-Conductor Wire	6.75
2042	1000 Feet Reel 3-Conductor Wire	32.40

See Chime page for Electronic Chimes to be used with NuTone Stereo and NuTone Intercom Systems.



→ **HI-FIDELITY SPEAKER** . . . A high fidelity 8" coaxial speaker for the utmost enjoyment from intercom music. Use as many of these speakers as you wish—up to the maximum number of remotes possible with your Intercom system. Includes rotary "Talk-Listen" and Volume Controls, and a shut-off feature for privacy. Desert Sand weather-proof housing. Gold Anodized control panel.



→ **INSIDE REMOTES** . . . are Desert Sand color. Can be painted to match color of wall if desired. Have variable rotary controls with privacy setting to prevent eavesdropping.

→ **OUTSIDE REMOTES** . . . Slide switch control for TWO-WAY conversation, to and from inside remotes or master control. Gold anodized grille weatherproof . . . Can't tarnish.



4010 Rough-in Dimensions for Masonry Installation: 16 $\frac{1}{2}$ " wide x 18 $\frac{1}{2}$ " long x 12 $\frac{1}{2}$ " deep — Rough-in Dimensions using # 4022 Insulation Kit: 19 $\frac{3}{4}$ " wide x 19 $\frac{3}{4}$ " long x 12 $\frac{1}{4}$ " deep



NU-TONE

Built-In Food Center

The only Food Preparation Center of its kind. Built into any kitchen counter top. Saves Work-Space and Saves Money

NO WASTED SPACE...

Look at the space you save with a NuTone BUILT-IN Food Preparation Center! The recessed motor is completely out of sight to give you much more kitchen work-space. NuTone's multi-matic power drive is ready for instant use with 6 food appliances!

NO TANGLED CORDS...

Why clutter your kitchen with a "jungle" of plug-in cords needed for many separate food appliances? Now your counters can be smooth and tidy with the NuTone Built-in Food Center. The stainless steel surface-plate is flush and has recessed controls.

NO HEAVY LIFTING...

Storage space is no problem with NuTone's Built-in Food Center. No need to drag heavy appliances in and out of cabinets or crowd your shelves with bulky motors. NuTone's single motor "stores itself" ... and all attachments are light in weight!

One Motor operates 6 Built-In Appliances

1 — Blender

Delicious frosty drinks, salads and soups. Six Speeds. Safety sealed blades. Triangular shape for faster liquefying, shredding and blending.

4 — Grinder

You've never tasted hamburger like this. Exclusive vertical design retains all nourishing natural meat juices. No mashing or splattering.

2 — Shredder

NEW VEGETABLE SHREDDER and SLICER. For tasty salads chips and soups rich in vitamins. 3 cutting plates...a thin slicer...a thick slicer and a shredder.

5 — Juicer

Enough fresh fruit juice for your entire family at one time. Holds 10 full glasses. Plastic strainer allows most nourishing pulp through — no seeds.

3 — Mixer

Motor powered bowl. 3½ quart size. One powerful beater mixes faster than multiple beaters. Bowl is easy to hold in one hand. All around pouring rim.


6 — Sharpener

Keep your knives sharp as new. Sharpens edge only without damaging blade temper. Fast and safe. Uses flexible discs ... no hard grinding stone.

Model	Description	List Price
200	Power Unit • Mixer • Blender • Sharpener	77.95
205	Power Unit • Blender	52.45
221	Power Unit Only	45.50
171	Mixer	18.95
172	Blender	8.95
173	Fruit Juicer*	3.95
174	Knife Sharpener	5.95
176	Mixing Bowl	3.95
177	Meat Grinder	24.95
178	Shredder-Slicer	13.95
179	Same as Model 178 minus bowl only	9.95

*Fruit Juicer must be used with Mixer bowl and turntable.

NuTone's Food Center Products protected by one or more of the following U.S. Patents: D-172,127; D-172,128; D-172,129; D-177,949; D-178,854; D-180,379; 2,789,700; 2,798,345; 2,841,723; 2,868,025. Other U.S. and Foreign Patents pending.



SPECIFICATIONS

¼ horsepower motor, 340 watts, 110-120 volts AC. 6 speeds, 16,000 R.P.M. idle. Low speed drive, app. 800 R.P.M. idle. Uses tap field eliminating all complicated centrifugal switches. Stainless steel top, 50/1000" thick. Shipping weight of unit, 17½ lbs. Wiring: Provision should be made for electrical connection during rough wiring, at the proposed location of the power unit, with enough free wire to reach the front of the cabinet, when installed. Follow the Local Electrical Code for 3 amp. load. Unit must be grounded. Dimensions: Size of "cut-out" 4 1/4" x 10 1/4". Housing assembly 10" long x 4 1/4" wide x 6 3/4" high.




NUTONE

Bathroom Heaters

Quick heat for bathrooms
when and where needed most

See Fan Section for Home Ventilating Institute Certified Ratings



Heat-A-Vent Model 9300


Electric Wall Heater plus Exhaust Fan

Electric Wall Heat PLUS Ventilation in one fixture. Saves installation cost... avoids double cutouts and double wiring. Blower has cushion-mounted motor and automatic built-in louver. Heater and fan operate at SAME TIME or separately. 2 armored heating elements... use both for 5460 BTU... or single element for 2730 BTU. Special receptacle permits optional plug-in of fan motor so that wall light switch can also control fan. Plug-in connections for fan and heating elements. Connects to standard house wire... 117 Volts or 234 Volts (three wire service, 60 cycle only).

Model 9310 with Automatic Thermostat Control

Same as Model 9300 (above) except that thermostat controls the operation of heating elements (5460 BTU). The thermostat (Double pole, Bimetal Snap Action type) has temperature range of 30° to 100° F.


Model	Finish	Ventilator H.V.I. Certified in square feet	List Price
9300	Anodized	Kitchen 55 Bath 75 Other 75	\$6.95
9310	Aluminum	not used 55 75	\$2.95



Radiant Heater Model 9200 — Built-In

The perfect answer to fast, effective, safe bathroom heat. It's healthful infra-red heat spreads relaxing warmth throughout the bathroom. Specially designed arc "bounces" heat in all directions — no nearby scorchers — no faraway shivers. Exclusive safety cooling system prevents fire hazard.

Housing — 13 1/2" dia. and 7 1/2" deep. Reflector with outside grille 15 1/4" dia. 4 adjustable mounting brackets. 1000 watts, 3412 BTU. Guaranteed for one year.
U. S. Patent No. 2,708,232 U. S. Pat. No. 2,708,232



Heat-A-Vent Lite® Models 9090-9110

Ceiling Heater plus Exhaust Fan plus Lighting


The only Ceiling Fixture of its kind with TWO blades! Propeller for circulating warm air — Blower Wheel to exhaust odors and steam. Exhaust louver automatically closes when the circulating fan for heating is moving. Armored heating element for trouble-free operation.

Flexible leads from switch assembly eliminate heavy house wire connections directly to switches. No jumper wire required. Switches are prewired at factory and mounted as one unit. New switch-wiring assembly provides for manual switch control of heater or addition of an automatic wall thermostat control unit.

Housing — 13 1/2" diameter — 7 1/2" deep. 1 1/2" Flange to be flush with plaster. Adjustable Mounting Brackets. Plaster ring hides edges of rough plaster or sheet rock. Spacing brackets insure correct air intake. Thermal protected to prevent overheating.

Grille—16" diameter. Motor 60 cycle AC, 115-120 volts. Wall Switch included. Use 100 watt short bulb (not included).

Model	Watts	67 U.	Ventilator H.V.I. Certified in sq. ft.	List Price
9090	1475	5040-5520	Kitchen not used 55 Bath 75 Other 75	\$4.95
9110	1800	6160-6640	not used 55 75	\$8.95



Heat-A-Lite Model 9010

Circulating Heater plus Light

Recirculates warm air usually wasted near ceiling. Improved light pattern gives complete room illumination.

Grille: 16" dia. Housing 13 1/2" dia. x 7 1/2" deep with 1 1/2" flange plus adjustable mounting brackets for 0" to 3/4" plaster thickness. Extends 3 1/4" from ceiling.

Plaster ring hides edges of rough plaster or sheet rock. Spacing brackets on ceiling ring insure correct air intake. Thermal protected to prevent overheating.

1475 watts, 5040-5520 BTU, 100 watt bulb.

U.S. Pat Nos. 2,689,906; 2,697,163; 569,322; D-166,299




Radiant Heater Model 9280

Surface mounted

Healthful infra-red heat all through the bathroom. Hugs the ceiling. Extends only 8 7/8" from ceiling. Mounts like a standard lighting fixture. Heats 2 ways... with DIRECT HEAT from the element... and with REFLECTED HEAT. Radiates heat ALL THE WAY DOWN to the floor... (not just limited to upper level).

ENCLOSED, Armored Heating Element. Anodized Aluminum Reflector... resists corrosion. Guaranteed not to rust or tarnish. No extra heat bulbs or elements needed. Reflector 13 1/4" diameter. Ceiling plate 7" diameter. 1000 watts, 3412 BTU. Guaranteed for one year.



Radiant Heater Model 9290


SURFACE MOUNTED

A new Radiant Ceiling Heater which supplies infra-red heat all the way to the floor — not just upper levels.

Exposed parts are Anodized Aluminum. Will not rust or tarnish. Armored type heating element glows red. Surface mounts to standard junction box. Quiet motor permanent type lubricant. Grille 15" dia. Extends 3 1/2" from ceiling. Thermal protected 1250 watts, 4265 BTU. Heats up to 375 cu. ft. Guaranteed for 1 year. U. S. and Foreign Patents Pending
C.S.A. Approved

NU-TONE

BROTHER'S APPLIANCE
16 S. FORT ST.
ANDOTTE, MICH.
Avenue 4-3060





NUTONE 6000 Series "Fold-Away" Hood-Fans

Matches Walls
or Cabinets
Color Unlimited



A GENTLE LIFT... OPENS THE HOOD

A GENTLE PRESS... CLOSES THE HOOD



At last... a range Hood-Fan to blend perfectly with the exact color of your cabinets, walls or appliances. Insert a panel of wood, metal or plastic laminate (up to 1/4" thick).

Hood-Fan folds back flush with cabinets when not in use... and when it is opened it becomes a full sized, efficient Hood-Fan... complete with powerful exhaust fan... plus concealed light. Your choice of either standard or twin blower power units... also 11 different colors and finishes of insert panels.

*The unusual features in this NuTone Hood-Fan are covered by pending U.S. and foreign patent applications and will be aggressively protected by our company.

Hoods Only — Complete with matching Front Insert Panels. Combine with choice of Power Units listed below to make one complete Hood-Fan. "Fold-Away" mechanism factory installed. Transition duct (4" x 12" to 3¼" x 10") included.				Splash Plates 22" high	
Size	Model	Finish	List	Model	List
30"	6015-S	Clear Anodized Aluminum	51.90	SP-1715	13.75
	6018-S	Copper Anodized Aluminum	51.90	SP-1718	13.75
36"	6025-S	Clear Anodized Aluminum	53.90	SP-1725	15.95
	6026-S	Copper Anodized Aluminum	53.90	SP-1726	15.95
42"	6035-S	Clear Anodized Aluminum	55.90	SP-1735	18.25
	6036-S	Copper Anodized Aluminum	55.90	SP-1736	18.25
Hoods Only —This model has blank area on front—ready for inserting panel of your choice. Combine the Hood with choice of Power Units listed below to make one complete Hood-Fan. "Fold-Away" mechanism factory installed. Transition duct (4" x 12" to 3¼" x 10") included.				Splash Plates 22" high	
Size	Model	Finish	List	Model	List
30"	6015	Clear Anodized Aluminum	47.95	SP-1715	13.75
	6018	Copper Anodized Aluminum	47.95	SP-1718	13.75
36"	6025	Clear Anodized Aluminum	49.95	SP-1725	15.95
	6026	Copper Anodized Aluminum	49.95	SP-1726	15.95
42"	6035	Clear Anodized Aluminum	51.95	SP-1735	18.25
	6036	Copper Anodized Aluminum	51.95	SP-1736	18.25
Power Units Only — Combine with Hoods listed above to make one complete Hood-Fan. Includes Fan, Fan Housing, Light and Fan Dials and Light Assembly and Filter (does not include light bulbs).					
Size	Model	Finish	H.V.I. Certified	List	
Standard	3081	Copper Enamel Finish — Use with Copper Anodized Hoods	YES	35.95	
	3082	Aluminum Enamel Finish — Use with Clear Anodized Hoods	YES	35.95	
DeLuxo Twin Blower	3091	Copper Enamel Finish — Use with Copper Anodized Hoods	YES	56.95	
	3092	Aluminum Enamel Finish — Use with Clear Anodized Hoods	YES	56.95	
Insert Panels — Hood front can match cabinets or appliances by using removable insert panels. Available in 11 colors — for use with 6015-6036 "Fold-Away" Hoods.					
Finish	30" Model	36" Model	42" Model	List	
White Enamel	60100	60200	60300	2.50	
Copper Enamel	60101	60201	60301	2.50	
Antique Copper Enamel	60103	60203	60303	3.50	
Satin Anodized	60105	60205	60305	3.50	
Copper Anodized	60106	60206	60306	3.50	
Stainless Steel	60108	60208	60308	5.50	
Turquoise Enamel	60188	60288	60388	2.50	
Pink Enamel	60186	60286	60386	2.50	
Yellow Enamel	60187	60287	60387	2.50	
Brown Enamel	60188	60288	60388	2.50	
Colonial Copper Enamel	60189	60289	60389	2.50	
Light Kit Assembly — For use with 6000 Series Hoods listed above when used with NuTone Wall Fans. Includes Light Housing Assembly and "on-off" dials for light and fan. (Light bulbs not included).					
Model 6071 Copper Enamel Model 6072 Aluminum Enamel \$ 9.25					

3000 Series Select-A-Matic* Range Hood-Fans

*Select the Power Unit

Select the Hood Size

Select the Hood Finish

Distinctive styling with "crisp" lines

Three Interchangeable Power Units

Prewired "plug-in" Power Units

Quiet, powerful exhaust fans whisk away odors, steam, grease

Recessed lighting illuminates range

Power Units inside of Hood

Matching Splash Plates

Scalloped Trim available


Multiple Position Switch for Voltage variations




Deluxe Twin Blower Power Unit installed in Hood



Deluxe Power Unit installed in Hood



Standard Power Unit installed in Hood



*Basic Models can be made up into over 140 different Hood Fan combinations

Hoods Only Combine with Power Units listed below to make complete Hood-Fan. Transition Duct Incl.				Splash Plates 22" high				
Size	Model	Finish	List	Model	List			
30"	3010	White Enamel	19.75	SP-1710	5.50			
	3011	Copper Enamel	19.75	SP-1711	5.50			
	3013	Antique Copper*	22.75	SP-1713	6.50			
	3016	Satin Anodized	35.25	SP-1716	13.75			
	3018	Copper Anodized	35.25	SP-1718	13.75			
36"	3020	White Enamel	21.75	SP-1720	5.95			
	3021	Copper Enamel	21.75	SP-1721	5.95			
	3023	Antique Copper*	24.75	SP-1723	6.95			
	3025	Satin Anodized	37.50	SP-1725	15.95			
	3028	Copper Anodized	37.50	SP-1728	15.95			
42"	3030	White Enamel	23.95	SP-1730	6.50			
	3031	Copper Enamel	23.95	SP-1731	6.50			
	3033	Antique Copper*	26.95	SP-1733	7.50			
	3035	Satin Anodized	39.50	SP-1735	18.25			
	3038	Copper Anodized	39.50	SP-1738	18.25			
48"	3040	White Enamel	27.95	SP-1740	7.75			
	3041	Copper Enamel	27.95	SP-1741	7.75			
	3043	Antique Copper*	30.95	SP-1743	8.75			
	3045	Satin Anodized	42.50	SP-1745	20.95			
	3048	Copper Anodized	42.50	SP-1748	20.95			
Power Units Only For use with Hoods listed above to make one complete Hood-Fan. Includes Fan, Light Assembly, Dials for Lights and Fan.								
Model	Size	Finish	H.V.I. Certified	List				
3081	DeLuxe	Copper Enamel	Yes	51.95				
3082		Alum. Enamel						
3081	Standard	Copper Enamel	Yes	35.95				
3082		Alum. Enamel						
3091	DeLuxe Twin Blower	Copper Enamel	Yes	56.95				
3092		Alum. Enamel						
Scalloped Trim Strips — Copper RIBBED Anodized ONLY								
30"	3076-30	36"	3076-36	42"	3076-42	48"	3076-48	5.50
Light Kit For use with above Hoods when used with NuTone Wall Assembly Fans. Includes light Housing Assembly, "on-off" dials for light and fan. (Light bulbs not included.)								
Model 6071 Copper Enamel			Model 6072 Alum. Enamel			9.25		

*Enamel



All Ventilating Range Hood-Fans which display the H.V.I. Label have been tested by the Texas Engineering Experiment Station at Texas A&M College in accordance with the Standard Test Code approved by H.V.I. Ventilating Range Hood-Fans which carry this

Home Ventilating Institute — Certified Ratings

label have been determined by test to meet the requirements of the Minimum Property Standards of the F.H.A. and the minimum requirements recommended by the Home Ventilating Institute. Static Pressure Point .10 inches W. G.

Nutone

3400 Series Non-Ducted Hood-Fan

Gets rid of GREASE, SMOKE and ODORS, the 3 major ventilation problems.

No Ductwork Needed

Hood, Motor and 3 Filter Elements come in one compact unit. Installs in minutes. Aluminum Mesh, Activated Charcoal and a special Micro-Type material purify kitchen air. Gives complete protection needed for walls and furnishings.



1. Grease Filter: 251 sq. in. of Aluminum Mesh traps all grease before it can leave the cooking zone.
2. Smoke Filter: Exclusive Micro-Type layer to shield the charcoal Filter and absorb sooty smoke from cooking.
3. Odor Filter: 2 lbs. of air purifying Activated Charcoal literally grabs odors before they can get away.

Hood-Fan				Splash Plates 22" high	
Size	Model	Finish	List	Model	List
30"	3410	White Enamel	84.95	SP-1710	5.50
	3411	Copper Enamel	84.95	SP-1711	5.50
	3413	Antique Copper*	87.95	SP-1713	6.50
	3415	Satin Anodized	99.95	SP-1715	13.75
	3416	Copper Anodized	99.95	SP-1716	13.75
	3418	Stainless Steel	110.95	SP-1718	20.25
36"	3420	White Enamel	87.95	SP-1720	5.95
	3421	Copper Enamel	87.95	SP-1721	5.95
	3423	Antique Copper*	90.95	SP-1723	6.95
	3425	Satin Anodized	102.95	SP-1725	15.95
	3426	Copper Anodized	102.95	SP-1726	15.95
	3428	Stainless Steel	114.95	SP-1728	24.75
42"	3430	White Enamel	99.95	SP-1730	6.50
	3431	Copper Enamel	99.95	SP-1731	6.50
	3433	Antique Copper*	92.95	SP-1733	7.50
	3435	Satin Anodized	104.95	SP-1735	18.25
	3436	Copper Anodized	104.95	SP-1736	18.25
	3438	Stainless Steel	119.95	SP-1738	27.75

*Enamel See 3000 Series Hood for Matching Splash Plates

3100 Series Triple-Aire® Kitchen Ventilating System

Kitchen Ventilation for Apartments or Remodeling No Ductwork needed
Use with 3000 Series Hood and 3061, 3062, 3091 or 3092 Power Units

- Filters cooking smoke with a Micro-Flo Filter
- Avoids ozone danger to sensitive nose or throat
- Charcoal Filter shielded from grease to last longer
- Hood reaches all the way to front burners
- De Luxe Power Unit with 4 speed switch
- Attaches to cabinet, wall shelf or in soffit

Filter Units

30" — 3115; 36" — 3125; 42" — 3135 • 37.50 List
Satin Anodized Aluminum
Copper Anodized Aluminum
30" — 3116; 36" — 3126; 42" — 3136 • 37.50 List



ONLY NUTONE FILTERS ALL 3!

1. Cooking GREASE with washable Aluminum Filter
2. Cooking SMOKE with Micro-Flo Filter
3. Cooking ODORS with Activated Charcoal Filter


Replacement Filters

Model 842 Charcoal Odor Filter \$5.00
Model 843 Micro-Flo Smoke Filter 3.00

Hood Size	Hood Model	Finish	List Price	Power Unit or Unit	Power Unit	Filter Model
30"	3010	White Enamel	18.75	3062	3092	3115
	3011	Copper Enamel	18.75	3061	3091	3116
	3013	Antique Copper*	22.75	3061	3091	3116
	3015	Satin Anodized	35.25	3062	3092	3115
	3016	Copper Anodized	35.25	3061	3091	3116
	3018	Stainless Steel	44.75	3062	3092	3115
36"	3020	White Enamel	21.75	3062	3092	3125
	3021	Copper Enamel	21.75	3061	3091	3126
	3023	Antique Copper*	24.75	3061	3091	3126
	3025	Satin Anodized	37.50	3062	3092	3125
	3026	Copper Anodized	37.50	3061	3091	3126
	3028	Stainless Steel	48.95	3062	3092	3125
42"	3030	White Enamel	23.95	3062	3092	3135
	3031	Copper Enamel	23.95	3061	3091	3136
	3033	Antique Copper*	26.95	3061	3091	3136
	3035	Satin Anodized	39.50	3062	3092	3135
	3036	Copper Anodized	39.50	3061	3091	3136
	3038	Stainless Steel	55.25	3062	3092	3135

*Enamel See 3000 Series Hood for Matching Splash Plates

U. S. Patents Pending



This Hood-Fan offers highest effective air delivery of any dual power unit in the entire ventilation field... and yet it's super-quiet because both power units are cushion-mounted. It's the world's safest Barbecue Hood-Fan because it turns on automatically when the cooking heat goes beyond safety level, even if you forget.

5000 Series Hood-Fan for Heavy Duty Ventilation

Offers highest effective air delivery of any dual power unit in the entire ventilation field. It's super-quiet because power units are cushion-mounted. It's the world's safest Barbecue Hood-Fan because it turns on automatically when the cooking heat goes beyond safety level, even if you forget.

Model	Finish	List	H.V.I. Certified
5001	Copper Enamel	63.00	Yes
5002	Alum. Enamel		

Includes Hood and Transition Duct to adapt to 8" round duct. Combine with Power Units listed below to complete Hood-Fan.				Matching Canopy Kit 28 1/2" High	
Size	Model	Finish	List	Model	List
30"	5013	Antique Copper*	30.75	5063	22.95
	5016	Copper Anodized	43.50	5066	29.95
	5018	Stainless Steel	52.95	5068	43.95
36"	5023	Antique Copper*	32.75	5073	24.50
	5026	Copper Anodized	45.75	5076	31.50
	5028	Stainless Steel	58.25	5078	45.50
42"	5033	Antique Copper*	34.95	5083	25.95
	5036	Copper Anodized	47.75	5086	32.95
	5038	Stainless Steel	63.50	5088	46.95
48"	5043	Antique Copper*	38.95	5093	27.50
	5046	Copper Anodized	50.75	5096	34.50
	5048	Stainless Steel	69.50	5098	46.50

See 3000 Series Hood for Matching Splash Plates


*Enamel

1100 Series Jet-Flo Hood-Fan

Factory installed Venturi fan housing attached to top of hood. Hood is provided to outlet box. No extra wiring needed for plug-in motor. One place motor mounting brackets. Built-in damper section — powerful pressure type fan.



All basic dimensions for Jet-Flo Hood-Fan and the Twin Hood-Fan are identical except for depth of hood.




1100 Series Jet-Flo Hood Fan				H.V.I. Certified	Splash Plates 22" high	
Size	Model	Finish	List Price		Model	List
30"	1111	Copper Enamel	45.95	Yes	SP-1711	5.50
	1113	Antique Copper*	49.95		SP-1713	6.50
	1115	Satin Anodized	61.95		SP-1715	13.75
36"	1121	Copper Enamel	48.25	Yes	SP-1721	5.95
	1123	Antique Copper*	51.25		SP-1723	6.95
	1125	Satin Anodized	63.95		SP-1725	15.95
42"	1131	Copper Enamel	49.95	Yes	SP-1731	6.50
	1133	Antique Copper	52.95		SP-1733	7.50
	1135	Satin Anodized	66.50		SP-1735	18.25

*Enamel

1500 Twin Hood-Fan				H.V.I. Certified	Includes Hood, Fan and Built-in damper and Filter	
Size	Model	Finish	List Price		Model	List
36"	1521	Copper Enamel	62.95	Yes		
	1525	Satin Anodized	81.25			
	1526	Copper Anodized	81.25			
42"	1531	Copper Enamel	64.95	Yes		
	1535	Satin Anodized	84.25			
	1536	Copper Anodized	84.25			

3200 Series "Fold-away" Oven Hood-Fan

Does not disturb baking temperatures.



Fits flush with cabinet when not in use. Fan automatically starts when Hood is pulled to "open" position. Protects cabinets from heat, grease and smoke which escape from built-in oven when door is opened. Filter and Fan easily cleaned. Includes, Filter and Fan.

Size	Description	Model	List
24"	Antique Copper Enamel	3203	17.45
	Stainless Steel	3208	
27"	Antique Copper Enamel	3213	17.48
	Stainless Steel	3218	
32"	Antique Copper Enamel	3223	17.45
	Stainless Steel	3228	
Power Unit • Fits above Hoods to make complete Oven Hood-Fan		32 80	34.50

See back page for Ventilation Accessories





NUTONE

Exhaust Fans

for a fresh, clean odor-free kitchen

U.L. Listed and C.S.A. Approved



8" Pull Chain Wall Fan

10"

Installs in wood or brick walls. Sturdy venturi housing for greater air delivery at reduced noise level. Has weather-tight shutter outside the house with 13 1/4" square wall plate. The housing, "snap-in" motor and blade assembly, and grille are packed in one carton. One piece grille installs with single thumb screw. Has easy to install "plug-in" motor.

Model No.	Blade Size	Grille Finish and Size	Wall Thickness	H.V.I. CERTIFIED in square feet			List Price
				Kitchen	Bath	Other	
8000	8"	White 11" Sq.	5" To 10 1/4"	125	Over 200	325	26.95
8020	8"	White 11" Sq.	9" To 14 1/4"	125	Over 200	325	26.95
8040	8"	White 11" Sq.	3 3/4" To 6 1/4"	125	Over 200	325	26.95
8010	8"	Anod. Alum. 11" Sq.	5" To 10 1/4"	125	Over 200	325	27.95
8030	8"	Anod. Alum. 11" Sq.	9" To 14 1/4"	125	Over 200	325	27.95
8050	8"	Anod. Alum. 11" Sq.	3 3/4" To 6 1/4"	125	Over 200	325	27.95
8110	10"	Anod. Alum. 13 1/2" Sq.	5" To 10 1/4"	250	Over 200	Over 500	36.25
8130	10"	Anod. Alum. 13 1/2" Sq.	9" To 14"	250	Over 200	Over 500	36.25

Note: 8" Models fit 9 1/2" dia. wall opening. 10" Models fit 11 1/2" dia. wall opening.



NUTONE - 8050

NuTone Motors Guaranteed for 5 Years



8" Ceiling or Inside Wall Fans

10"


Venturi housing for greater air delivery at reduced noise level is 3 1/4" deep, fits 2" x 4" construction. Has "snap-in" motor and pressure type blade assembly. Fits standard 3 1/4" x 10" duct. Mounts between 16" C.C.* joists or studding. Housing, motor and blade assembly and grille packed in one carton. One piece grille installs with single thumb screw. Has easy to install "plug-in" motor.

Model	Blade Size	Grille Finish and Size	H.V.I. CERTIFIED in square feet			List Price
			Kitchen	Bath	Other	
8310	8"	Anod. Alum. — 11" dia.	80	150	200	27.95
8510	10"	Anod. Alum. — 13 1/2" dia.	150	Over 200	375	36.95

NOTE: 8" Fan uses Model 834 Filter (extra). 10" Fan uses Model 854 Filter (extra).

Both Fans use Model 860 Three Speed Switch (extra).

* Model 8310 includes hanger bars.



8" Automatic Wall Fans

10"


Installs in wood or brick walls. Sturdy venturi housing for greater air delivery at reduced noise level. Automatic weather protecting hood with patented* flutter proof shutter. 13 3/4" sq. wall plate is outside the house. "Snap-in" motor and blade assembly, and grille packed in one carton. One piece grille installs with single thumb screw. Has "plug-in" motor.

Model No.	Blade Size	Grille Finish and Size	Wall Thickness	H.V.I. CERTIFIED in square feet			List Price
				Kitchen	Bath	Other	
8060	8"	White 11" Sq.	5" To 10"	80	150	200	26.95
8080	8"	White 11" Sq.	9" To 14"	80	150	200	26.95
8070	8"	Anod. Alum. 11" Sq.	5" To 10"	80	150	200	27.95
8090	8"	Anod. Alum. 11" Sq.	9" To 14"	80	150	200	27.95
8170	10"	Anod. Alum. 13 1/2" Sq.	5" To 10"	125	Over 200	325	36.25
8190	10"	Anod. Alum. 13 1/2" Sq.	9" To 14"	125	Over 200	325	36.25

NOTE: 8" Models fit 9 1/2" dia. wall opening. 10" Models fit 11 1/2" dia. wall opening.

8" Models use Model 834 Filter. 10" Models use Model 854 Filter.

8" Models use Model 861 Three Speed Switch. 10" Models use 860 Three Speed Switch.



8" Vertical Discharge Fans

10"


Installs in ceiling for ventilating to the roof. "Snap-in" motor and blade assembly with hanger bars (included) installs between 16" C.C. joists. Housing, motor and blade assembly and grille packed in one carton. One piece grille installs with single thumb screw. Has easy to install "plug-in" motor. Anodized Grilles Guaranteed

* Model 8220 has motor mounting bracket with keyhole slots.

Model	Size	Filter (extra)	Grille Size	Ceiling Opening	Duct Size	H.V.I. CERTIFIED in square feet			List Price
						Kitchen	Bath	Other	
8200		# 834	11" dia.	9 1/4" dia.	7" dia.	125	Over 200	325	22.95
8210		# 834	11" dia.	9 1/4" dia.	7" dia.	100	185	250	23.95
8220	8"	# 834	10 1/2" sq.	9 1/4" dia.	8" dia.	80	150	200	20.95
8490	10"	# 854	13 1/2" dia.	11" dia.	8" dia.	125	Over 200	325	32.95

NOTE: Model 8210 includes built-in damper. Model 8490 includes built-in reducer with damper.

Model 895 Damper Section for Model 8200 available (extra). Fits 7" diameter duct.



1100 SERIES NJF "B" UNIT

INSTALLATION INSTRUCTIONS

1. Loosen the mounting screws located in tabs inside fan housing. Place large end of keyhole slot in bracket over the screws and lock bracket into place. Tighten screws firmly. Plug motor into receptacle. Fig. 1.
2. Place mounting hole in name plate of grille over stud in motor bracket. Fasten grille firmly in place with thumb nut furnished. Fig. 2.



FIG. 1



FIG. 2



Nutone, Inc.

FACTORY AND NATIONAL HEADQUARTERS
MADISON AND RED BANK ROADS
CINCINNATI 27, OHIO

16893

NUTONE, INC., Madison and Red Bank Roads, Cincinnati 27, Ohio

EASTERN SALES
MIDWEST SALES
WESTERN SALES

4003 Empire State Building, 350 5th Ave., New York 1
Old Orchard Avenue, Skokie, Illinois, (suburb of Chicago)

SOUTHWEST SALES
NORTHWEST SALES
NORTH CALIFORNIA

820 North Harvard St., Dallas 1
488 Ninth Ave. North, Seattle 9
398 15th St., San Francisco 2

CANADIAN SALES

1230 Chamberland St., Montreal, Quebec, Canada